

مقدمه‌ای بر ماتریکس

* تهلاگ *

۱۴۰۳/۱۲/۰۹



جیسون و بابونه

◆ 1997 ◆

Multi User Talk

◆ 1997 ◆

دسترسی به نارنمای فراخوانده شده امکان پذیر نمی باشد. جهت رسیدگی به گزارش ها و شکایات اینجا کلیک کنید.



علمی و آموزشی

- پزشکی و سلامت
- علوم پایه
- فناوری اطلاعات
- مراکز آموزشی
- کتابخانه ها و منابع علمی
- دانشنامه و لغتنامه
- علوم فنی و مهندسی
- علوم انسانی
- قضایی و حقوق



خدمات اینترنتی

- مراکز دانلود و آپلود
- نرم افزار هاگ موبایل
- خدمات سایت و وبلاگ
- میربانی و ثبت دامنه
- طراحی و برنامه نویسی
- شبکه های اجتماعی
- تالارهای گفتگو
- ایمیل و جت فارسی
- موتورهای جستجو



اجتماعی

- خانواده
- سنگ زندگی
- کودک و نوجوان
- ورزش و جوانان
- بانوان
- عفاف و حجاب
- تغذیه و آشپزی
- جشنواره و نمایشگاه
- مؤسسات عام المنفعه



فرهنگی و مذهبی

- مراجع و علما
- معارف و منابع اسلامی
- قرآن
- سینما و هنر
- انقلاب اسلامی
- شهدا و دفاع مقدس
- جندرسانه مذهبی
- ادبیات و شعر
- گردشگری و میراث فرهنگی



کار و سرمایه ایرانی

- بورس و سرمایه گذاری
- فروشنده اینترنتی
- کامپیوتر و نفعن همراه
- تجارت و خدمات
- تبلیغات و بازاریابی ها
- اشتغال و کارآفرینی
- تولیدی و صنعتی
- صنایع خودرو
- حمل و نقل



تفریح و سرگرمی

- بازیهای رایانه ایگ
- طنز و سرگرمی
- عکس های دیدنی
- کلیپ خنده دار
- دانلود فیلم و آهنگ
- عکس و خاطره
- پیامک
- اماکن تفریحی
- سینما و تئاتر



دولت الکترونیک

- خدمات قضایی و ثبتی
- خدمات نظامی و راهداری
- اورژانس و هلال احمر
- وزارتخانه ها و نهادهای حکومتی
- خدمات شهری
- خدمات خودرو
- بانکداری الکترونیک
- پرداخت قبوض
- بیمه و خدمات درمانی



خبر و رسانه

- بارگاههای خبری
- خبرگزاری های داخلی
- خبرگزاری های خارجی
- رادیو
- تلویزیون
- روزنامه ها و نشریات
- مجله و هفته نامه
- نشریات تخصصی
- بین الملل



Internet Relay Chat

✦ 1998 ✦

IRC Server

Channels

Connected Users



Libera.Chat

Nick

I have a password

Channel

Start



[Libera.Chat](#) is the IRC network for free & open-source software and peer directed projects.

For help using the network please visit #libera

Try an alternative, light-weight client: [Gamja](#)

[Network Policies](#) - [Privacy Policy](#)


شکل‌گیری شبکه‌های اجتماعی



مصرفی پروتکل ہاتریکس

◆ 2014 ◆

Matrix Ecosystem



Clients


Hosting

SDKs



Servers


Bridges

Integrations





Close Federation





Open Federation



Tehlug *

* Matrix.org

Matrix

Installation

The screenshot shows a GitHub repository page for 'matrix-ansible-deploy'. The repository is private and was forked from 'Pluto-community/matrix-ansible-deploy'. It is currently on the 'main' branch, which is 1 commit ahead of the upstream repository. The repository contains 1 branch and 0 tags. The commit history shows a single commit by 'hiradsajde' titled 'Initial commit', made 10 minutes ago. The file list includes: .config, .github, bin, collections, docs, examples, group_vars, roles/custom, .editorconfig, and .envrc. The right sidebar shows repository statistics: 0 watches, 0 forks, and 0 stars. The 'About' section is empty. The 'Releases' section shows no published releases. The 'Packages' section shows no published packages. The 'Languages' section shows a bar chart with Jinja at 99.1% and Other at 0.9%.

matrix-ansible-deploy Private
forked from Pluto-community/matrix-ansible-deploy

main 1 Branch 0 Tags
Go to file Add file Code

This branch is 1 commit ahead of, 8730 commits behind Pluto-community/matrix-ansible-deploy:main.
Contribute Sync fork

hiradsajde Initial commit 14d73dc · 10 minutes ago 1 Commit

.config	Initial commit	10 minutes ago
.github	Initial commit	10 minutes ago
bin	Initial commit	10 minutes ago
collections	Initial commit	10 minutes ago
docs	Initial commit	10 minutes ago
examples	Initial commit	10 minutes ago
group_vars	Initial commit	10 minutes ago
roles/custom	Initial commit	10 minutes ago
.editorconfig	Initial commit	10 minutes ago
.envrc	Initial commit	10 minutes ago

https://github.com/hiradsajde/matrix-ansible-deploy/compare/main...Pluto-community%3Amatrix-ansible-deploy%3Amain

About
No description, website, or topics provided.
Readme
AGPL-3.0 license
Activity
0 stars
0 watching
0 forks

Releases
No releases published
Create a new release

Packages
No packages published
Publish your first package


Languages
Jinja 99.1% Other 0.9%

Github Repo

The screenshot displays the Matrix.org dashboard interface. At the top, there is a navigation bar with a search bar, a language selector (set to 'Fa'), and a user profile icon. The main content area is divided into several sections:

- Top Banner:** A promotional banner for a new German server in Europe, stating "دیتاستر جدید آروان کلاذ در اروپا همین حالا سرور خود را در آلمان بسازید." (New Arwan Cloud data center in Europe, create your server in Germany now). It also mentions a 30% traffic reduction for 10 days.
- Left Sidebar:** Contains a "بنده پایه" (Basic Bundles) section with a "بررسی و تغییر بنده" (Review and Change Bundle) button, and a "دیتابیس ابری آروان کلاذ" (Arwan Cloud Database) section.
- Main Content Area:** Titled "گزارش ها" (Reports), it shows two large circular gauges for "درخواست صرفه جویی شده" (Savings Requests) and "ترافیک صرفه جویی شده" (Savings Traffic). Below these are smaller gauges for "درخواست های صرفه جویی شده به کمک" (Savings Requests with help) and "ترافیک صرفه جویی شده به کمک" (Savings Traffic with help).
- Right Sidebar:** A navigation menu for "شبکه توزیع محتوا" (Content Delivery Network) with options like CDN, Server, Storage, Container, Video, Database, Edge, and Logs.

DNS Records



Deployment begins

```
GNU nano 7.2 vars.yml *
#matrix_nginx_proxy_https_enabled: false
#matrix_coturn_enabled: false
#matrix_nginx_proxy_base_domain_serving_enabl

matrix_synapse_admin_enabled: true

matrix_synapse_ext_password_provider_shared_s
matrix_synapse_ext_password_provider_shared_s

matrix_mautrix_telegram_enabled: true
matrix_mautrix_telegram_bot_token: ""
matrix_mautrix_telegram_configuration_extensi
bridge:
  permissions:
    '@@hiradsajde:domain.ir': admin

matrix_appservice_discord_enabled: true
matrix_appservice_discord_client_id: ""
matrix_appservice_discord_bot_token: ""
matrix_appservice_discord_bridge_enableSelfSe
matrix_synapse_configuration_extension_yaml:
  use_appservice_legacy_authorization: true
```

What can this bot do?
BotFather is the one bot to rule them all. Use it to create new bot accounts and manage your existing bots.

About Telegram bots:
<https://core.telegram.org/bots>
Bot API manual:
<https://core.telegram.org/bots/api>


Contact @BotSupport if you have questions about the Bot API.

Menu /sta I

SSH: 45.11.92.203

Help Write Out Where Is Cut Execute Location
Exit Read File Replace Paste Justify Go To Line

Telegram bot



```
GNU nano 7.2 ./inventory/host_vars/matrix.q22.ir/vars.yml *
#matrix_coturn_enabled: false
#matrix_nginx_proxy_base_domain_serving_enabled: true

matrix_synapse_admin_enabled: true


matrix_synapse_ext_password_provider_shared_secret_auth_enabled: true
matrix_synapse_ext_password_provider_shared_secret_auth_shared_secret: htjXzwyXcsw2DyFXU81MuFIm163

matrix_mautrix_telegram_enabled: true
matrix_mautrix_telegram_bot_token: "8036017858:AAHgF9z0vUJWq_q0eR8BpxYRHrzhpA4wFs"
matrix_mautrix_telegram_configuration_extension_yaml: |
  bridge:
    permissions:
      '@hiradsajde:domain.ir': admin

matrix_appservice_discord_enabled: true
matrix_appservice_discord_client_id: "1344378260535906458"
matrix_appservice_discord_bot_token: "MTM0NDM3ODI2MDUzNTkwNjQ1OA.G2YqdM.c6NFJw6jVfsQnv8CxBzZIMr"
matrix_appservice_discord_bridge_enableSelfServiceBridging: true
matrix_synapse_configuration_extension_yaml: |
  use_appservice_legacy_authorization: true

^G Help      ^O Write Out  ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File  ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line
```

Telegram API Id




The screenshot displays a development environment with a terminal window in the foreground. The terminal shows the nano editor editing a file named `./inventory/host_vars/matrix.q22.ir/vars.yml`. The content of the file includes comments for `#matrix_coturn_e` and `#matrix_nginx_pr`, followed by several `matrix_synapse_e` entries, `matrix_mautrix_t` entries, a `bridge:` section with `permissions:` and `'@hirsadsaj`, and `matrix_appservic` entries. A `use_appservice` entry is also visible at the bottom.

Overlaid on the terminal is a browser window showing the Telegram Core website. The website has a navigation menu with `Home`, `FAQ`, and `Apps`. Below the navigation is a logo featuring a cartoon character sitting at a desk with a computer, surrounded by a network diagram. The main heading is `Your Telegram Core`, followed by a list of features:

- API development tools
- Delete account
- Log out

The browser window also shows a search bar with the text `my.telegram.org` and a status bar at the bottom with keyboard shortcuts for `Help`, `Write Out`, `Where Is`, `Cut`, `Execute`, `Location`, `Exit`, `Read File`, `Replace`, `Paste`, `Justify`, and `Go To Line`.

Telegram Core



The screenshot shows a VS Code terminal window with a nano editor. The editor content is as follows:


```
d: true
_secret: htjXzwyXcsw2DyFXU81MufIm16
0eR8BpxYRHrzmpA4wFs"
ue
```

The terminal also shows the following commands and their outputs:


```
^T Execute
^J Justify
^C Location
^_ Go To Line
```

At the bottom of the terminal, there are status icons and a prompt: `SSH: 45.11.92.203`

Discord Application



Run playbook



The screenshot shows a terminal window with the following content:

```
File Edit Selection View ...  root [SSH: 45.11.92.203]  bash - matrix-ansible-deploy +  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

EXPLOLER
SOURCE CONTROL REPOSITORIES
matrix...  Git  ✓  ↻
mt Git  40481 01  ✓  ↻
matrix...  Git  ✓  ↻
OPEN EDITORS
PROBLEMS
SOURCE CONTROL
ROOT [SSH: 45.11.92.203]
OUTLINE
TIMELINE

TASK [galaxy/playbook_state_preserver : Fail if required playbook-state-preserver commit-hash-preservation settings not defined] ***
skipping: [matrix.q22.ir] => (item=devture_playbook_state_preserver_commit_hash_preservation_dst)
skipping: [matrix.q22.ir]

TASK [galaxy/playbook_state_preserver : Get local git hash] *****
ok: [matrix.q22.ir -> 127.0.0.1]

TASK [galaxy/playbook_state_preserver : ansible.builtin.set_fact] *****
ok: [matrix.q22.ir]

TASK [galaxy/playbook_state_preserver : Git hash] *****
ok: [matrix.q22.ir] =>
  msg: 'Git hash: heads/main-0-g00b28de-dirty'

TASK [galaxy/playbook_state_preserver : Save git_hash.yml on target] *****
changed: [matrix.q22.ir]


TASK [galaxy/playbook_runtime_messages : ansible.builtin.include_tasks] *****
skipping: [matrix.q22.ir]

PLAY RECAP *****
matrix.q22.ir      : ok=232  changed=17  unreachable=0  failed=0  skipped=362  rescued=0  ignored=0


root@server-b90pka:~/matrix-ansible-deploy# nano inventory/host_vars/matrix.q22.ir/vars.yml
root@server-b90pka:~/matrix-ansible-deploy#
```

SSH: 45.11.92.203 main* 0 0 0 Ln 1, Col 1 Spaces: 2 UTF-8 LF {} YAML


Add Admin User




Telegram Bridge




Discord Bridge



Demo



hiradsajde/telegram-group-relay-api



hiradsajde/telegram-group-relay-client





ممنون از حسن توجه شما



hiradsajde.ir

|

hi@hiradsajde.ir